Two is better than one: Regularized shrinkage of large minimum variance portfolios

Taras Bodnar

Stockholm University, Sweden

Abstract

In this paper we construct a shrinkage estimator of the global minimum variance (GMV) portfolio by a combination of two techniques: Tikhonov regularization and direct shrinkage of portfolio weights. More specifically, we employ a double shrinkage approach, where the covariance matrix and portfolio weights are shrunk simultaneously. The ridge parameter controls the stability of the covariance matrix, while the portfolio shrinkage intensity shrinks the regularized portfolio weights to a predefined target. Both parameters simultaneously minimize with probability one the out-of-sample variance as the number of assets pand the sample size n tend to infinity, while their ratio p/n tends to a constant c > 0. This method can also be seen as the optimal combination of the well-established linear shrinkage approach of [2] and the shrinkage of the portfolio weights by [1]. No specific distribution is assumed for the asset returns except of the assumption of finite $4 + \varepsilon$ moments. The performance of the double shrinkage estimator is investigated via extensive simulation and empirical studies. The suggested method significantly outperforms its predecessor (without regularization) and the nonlinear shrinkage approach in terms of the out-of-sample variance, Sharpe ratio and other empirical measures in the majority of scenarios. Moreover, it obeys the most stable portfolio weights with uniformly smallest turnover.

Keywords

Shrinkage estimator, High-dimensional covariance matrix, Random matrix theory, Minimum variance portfolio, Parameter uncertainty, Ridge regularization.

Acknowledgements

This research is partially supported by the Swedish Research Council (VR) via the project *Bayesian Analysis of Optimal Portfolios and Their Risk Measures*.

References

- Bodnar, T., N. Parolya, and W. Schmid (2018). Estimation of the global minimum variance portfolio in high dimensions. *European Journal of Op*erational Research 266, 371–390.
- [2] Ledoit, O. and M. Wolf (2004). A well-conditioned estimator for largedimensional covariance matrices. *Journal of Multivariate Analysis 88* 365–411.